Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	316	385/125.ccls.	USPAT	OR	OFF	2005/04/18 13:53
S2	68	silica with glass and 385/125.ccls.	USPAT	OR .	OFF	2004/06/24 08:19
S3	226	((silica adj glass) with waveguide) and "385"/.ccls.	USPAT	OR	OFF	2004/06/24 08:34
S4	0	((silica adj glass) with waveguide) and (changing with (pulse adj width)) and "385"/.ccls.	USPAT	OR	OFF	2004/06/24 08:35
S5	15	waveguide and (changing with (pulse adj width)) and "385"/.ccls.	USPAT	OR	OFF	2004/06/24 08:49
S6	2	(waveguide and (changing with (pulse adj width)) and "385"/.ccls. ) and (silica adj glass)	USPAT	OR	OFF	2004/06/24 08:39
S7	31	(silica adj glass) and (optical adj waveguide) and (pulse adj width)	USPAT	OR	OFF	2004/06/24 09:08
S8	2	(optical adj waveguide) with (glass) and (laser adj pulses) and (pulse adj width)	USPAT	OR	OFF	2004/06/24 09:09
S9	122	(optical adj waveguide) with (silica glass) with (laser)	USPAT	OR	OFF	2004/06/24 09:36
S10	1330	385/123.ccls.	USPAT	OR	OFF	2004/06/24 14:44
S11	44	(optical adj waveguide) and (pulse adj width) and femtosecond	USPAT	OR	OFF	2004/06/24 14:45
S12	2	(pure with silica) and (femtosecond with laser) and (high with index) and (mode with field)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 08:25
S13	14	(pure with silica) and (femtosecond with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 09:10
S14	235	silica and (femtosecond with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 08:39
S15	6	("3542536"   "4022602"   "4090776"   "4710605"   "5136677"   "5620496").PN.	USPAT	OR	OFF	2004/10/07 08:41
S16	7	"5978538".URPN.	USPAT	OR	OFF	2004/10/07 08:42
S17	0	"20020076655".URPN.	USPAT	OR	OFF	2004/10/07 08:43
S18	1	"6573026".URPN.	USPAT	OR	OFF	2004/10/07 08:43

S19	17	("4270130"   "4641924"	USPAT	OR	OFF	2004/10/07 08:43
319	17	"4847138"   "5157674"   "5178978"   "5253198"   "5285517"   "5289407"	USFAT	·	Ori	2004/10/07 08.43
		"5325324"   "5627933"   "5656186"   "5675691"				
		"5761111"   "5841928"   "5919607"   "5978538"   "6075625").PN.				
S20	1	"6633419".URPN.	USPAT	OR	OFF	2004/10/07 08:47
S21	1	"5786560".PN.	USPAT	OR	OFF	2004/10/07 08:47
S22	5	("5684621"   "5764403"   "5866200"   "5978538"   "6327074").PN.	USPAT	OR	OFF	2004/10/07 08:48
S23	0	"6729161".URPN.	USPAT	OR	OFF	2004/10/07 08:48
S24	0	"6729161".URPN.	USPAT	OR	OFF	2004/10/07 08:48
S25	0	"6729161".URPN.	USPAT	OR	OFF	2004/10/07 08:48
S26	16	(US-6442313-\$ or US-6754429-\$ or US-6628877-\$ or US-6577782-\$	US-PGPUB; USPAT	OR	OFF	2004/10/07 08:49
		or US-6633419-\$ or US-6573026-\$ or US-6640039-\$ or US-6154593-\$ or US-5978538-\$ or US-6678433-\$ or US-6796148-\$ or US-5761111-\$ or US-5786560-\$).did. or (US-20020076655-\$).did.				
S27	3	((US-6442313-\$ or US-6754429-\$ or US-6628877-\$ or US-6577782-\$ or US-6633419-\$ or US-6573026-\$ or US-6640039-\$ or US-6154593-\$ or US-5978538-\$ or US-6678433-\$ or US-6796148-\$ or US-5761111-\$ or US-5786560-\$).did. or (US-20020076655-\$).did.) and (pure with silica)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 09:33
S28	17	(pure with silica) and ((femtosecond or "fs") with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 09:10
S29	3	((pure with silica) and ((femtosecond or "fs") with laser)) not ((pure with silica) and (femtosecond with laser))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 09:10

S30	99	("5499134" "6154310" "5251230"	USPAT	OR	OFF	2004/10/07 09:57
		"5956173" "5305403" "6334011"				
		"6456760" "6538298" "6778565"				
		"6111416" "5208455" "5952818"				
		"4870295" "4896109" "5007059"				
		"6122419" "6025944" "6181463"				
		"6208458" "5663972" "5987049"				
		"5696782" "5734503" "5359612"				
		"5377043" "5400350" "5668647"				
		"5799025" "5953354" "6097741"				
		"4612641" "4815080" "4853595"				
		"4913520" "4932031" "5296960"				
		"5365366" "5406408" "5434873"				
		"5579152" "5778016" "5812308"				
		"5867304" "5912915" "6055261"				
		"6072811" "4464761" "4972423"				
		"5017806" "5054027").pn.				
		("5227912" "5265109" "5293397"				
		"5323260" "5406194" "5546415"				
		"5546222" "5553093" "5764679"				,
į		"5828484" "5847861" "5852620"				
		"6141127" "6212215" "6212215"				
		"6252892" "6256328" "6275512"				
		"6314115" "6345061" "6393035"				
		"6396856" "6449301" "6466604"				
		"6549547" "6618423" "6661816"				
		"6744555" "6775053" "6175437"				
		"5651079" "5963683" "5946085"				
		"6456380" "6751386" "5627848"				
		"5007717" "5367528" "5479422"				
		"5572358" "5592327" "6400864"				
	•	"6573026" "6633419" "6181429"				
		"6028723" "6081543" "5530544"				
		"5738101" "5847863").pn.				

S31	99	(("5499134" "6154310" "5251230"	US-PGPUB;	OR	OFF	2004/10/07 09:58
		"5956173" "5305403" "6334011"	USPAT;			
		"6456760" "6538298" "6778565"	EPO; JPO;			
		"6111416" "5208455" "5952818"	DERWENT			
		"4870295" "4896109" "5007059"				
		"6122419" "6025944" "6181463"				
		"6208458" "5663972" "5987049"				
		"5696782" "5734503" "5359612"				
		"5377043" "5400350" "5668647"				
		"5799025" "5953354" "6097741"				
		"4612641" "4815080" "4853595"				
		"4913520" "4932031" "5296960"				
	ļ	"5365366" "5406408" "5434873"				
		"5579152" "5778016" "5812308"				
		"5867304" "5912915" "6055261"				
		"6072811" "4464761" "4972423"				
		"5017806" "5054027").pn.				
		("5227912" "5265109" "5293397"			İ	
		"5323260" "5406194" "5546415"				
		"5546222" "5553093" "5764679"				
		"5828484" "5847861" "5852620"				
		"6141127" "6212215" "6212215"				
	Į.	"6252892" "6256328" "6275512"				
		"6314115" "6345061" "6393035"				
		"6396856" "6449301" "6466604"		<u> </u>		
		"6549547" "6618423" "6661816"				
		"6744555" "6775053" "6175437"				
		"5651079" "5963683" "5946085"				
		"6456380" "6751386" "5627848"				
		"5007717" "5367528" "5479422"				
		"5572358" "5592327" "6400864"				
		"6573026" "6633419" "6181429"				
		"6028723" "6081543" "5530544"				
		"5738101" "5847863").pn. ) and				
		(femtosecond or "fs")				

S32	99	(("5499134" "6154310" "5251230"	US-PGPUB;	OR	OFF	2004/10/07 10:00
332		"5956173" "5305403" "6334011"	USPAT;		5	200 1/20/07 20:00
		"6456760" "6538298" "6778565"	EPO; JPO;			
		"6111416" "5208455" "5952818"	DERWENT			
		"4870295" "4896109" "5007059"				
		"6122419" "6025944" "6181463"				
		"6208458" "5663972" "5987049"	·			
		"5696782" "5734503" "5359612"				
		"5377043" "5400350" "5668647"				
		"5799025" "5953354" "6097741"				
1		"4612641" "4815080" "4853595"				
		"4913520" " <del>4</del> 932031" "5296960"				
	,	"5365366" "5406408" "5434873"				
		"5579152" "5778016" "5812308"				
		"5867304" "5912915" "6055261"				
		"6072811" "4464761" "4972423"				
		"5017806" "5054027").pn.				
		("5227912" "5265109" "5293397"				
		"5323260" "5406194" "5546415"				
1		"5546222" "5553093" "5764679"				
		"5828484" "5847861" "5852620"				
1		"6141127" "6212215" "6212215"				•
		"6252892" "6256328" "6275512"				
		"6314115" "6345061" "6393035"				
		"6396856" "6449301" "6466604"				
		"6549547" "6618423" "6661816"				
		"6744555" "6775053" "6175437"				
		"5651079" "5963683" "5946085"				
		"6456380" "6751386" "5627848"				
		"5007717" "5367528" "5479422"				
		"5572358" "5592327" "6400864"				
		"6573026" "6633419" "6181429"				
		"6028723" "6081543" "5530544"				
1		"5738101" "5847863").pn. ) and				
		femtosecond				

S33	22	(("5499134" "6154310" "5251230"	US-PGPUB;	OR	OFF	2004/10/07 10:00
		"5956173" "5305403" "6334011"	USPAT;			
		"6456760" "6538298" "6778565"	EPO; JPO;			,
		"6111416" "5208455" "5952818"	DERWENT			
		"4870295" "4896109" "5007059"				
		"6122419" "6025944" "6181463"				
		"6208458" "5663972" "5987049"				
		"5696782" "5734503" "5359612"		•		
		"5377043" "5400350" "5668647"				
		"5799025" "5953354" "6097741"				
		"4612641" "4815080" "4853595"				
		"4913520" "4932031" "5296960"				
		"5365366" "5406408" "5434873"		Į		
		"5579152" "5778016" "5812308"	:			
		"5867304" "5912915" "6055261"				
İ		"6072811" "4464761" "4972423"				
		"5017806" "5054027").pn.				
		("5227912" "5265109" "5293397"				
		"5323260" "5406194" "5546415"				
		"5546222" "5553093" "5764679"				
		"5828484" "5847861" "5852620"				
		"6141127" "6212215" "6212215"				
		"6252892" "6256328" "6275512"				
		"6314115" "6345061" "6393035"				
Ì		"6396856" "6449301" "6466604"				
		"6549547" "6618423" "6661816"				
		"6744555" "6775053" "6175437"				
		"5651079" "5963683" "5946085"				
		"6456380" "6751386" "5627848"				
		"5007717" "5367528" "5479422"				
		"5572358" "5592327" "6400864"				
		"6573026" "6633419" "6181429"	,			
		"6028723" "6081543" "5530544"				
		"5738101" "5847863").pn. ) and				
		silica		1		

C24	22	(("E400134" "61E4210" "E2E1220"	IIS-DCDIID.	OP	OFF	2004/10/07 10:01
S34		(("5499134" "6154310" "5251230" "5956173" "5305403" "6334011" "6456760" "6538298" "6778565" "6111416" "5208455" "5952818" "4870295" "4896109" "5007059" "6122419" "6025944" "6181463" "6208458" "5663972" "5987049" "5696782" "5734503" "5359612" "5377043" "5400350" "5668647" "5799025" "5953354" "6097741" "4612641" "4815080" "4853595" "4913520" "4932031" "5296960" "5365366" "5406408" "5434873" "5579152" "5778016" "5812308" "5867304" "5912915" "6055261" "6072811" "4464761" "4972423" "5017806" "5054027").pn. ("5227912" "5265109" "5293397" "5323260" "5406194" "5546415" "5546222" "5553093" "5764679" "5828484" "5847861" "5852620" "6141127" "6212215" "6212215" "6252892" "6256328" "6275512" "6314115" "6345061" "6393035" "6396856" "6449301" "6466604" "6549547" "6618423" "6661816" "6744555" "6775053" "6175437" "5651079" "5963683" "5946085" "6456380" "6751386" "5627848" "5007717" "5367528" "5479422" "5572358" "5592327" "6400864" "6573026" "6633419" "6181429" "6028723" "6081543" "5530544" "5738101" "5847863").pn. ) and	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 10:01
S35	17	silica and femtosecond  (US-6442313-\$ or US-6754429-\$ or US-6628877-\$ or US-6577782-\$ or US-6633419-\$ or US-6573026-\$ or US-6640039-\$ or US-6154593-\$ or US-57978538-\$ or US-6786148-\$ or US-6729161-\$ or US-5786560-\$ or US-5761111-\$ or US-5305403-\$).did. or (US-20020076655-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/10/07 10:23

S36	13	((US-6442313-\$ or US-6754429-\$ or US-6628877-\$ or US-6577782-\$ or US-6633419-\$ or US-6573026-\$ or US-6640039-\$ or US-6154593-\$ or US-57978538-\$ or US-6729161-\$ or US-5656186-\$ or US-5761111-\$ or US-5786560-\$ or US-5305403-\$).did. or (US-20020076655-\$).did.) and ((pulse with width) or (pulse with duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 10:24
S37	152732	(pulse with width) or (pulse with duration) and ((femto\$second) or ("fs") with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:22
S38	1249	((pulse with width) or (pulse with duration)) and ((femto\$second) or ("fs") with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:23
S39	296	(((pulse with width) or (pulse with duration)) same chang\$5) and ((femto\$second) or ("fs") with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:25
S40	709	((pulse with width) or (pulse with duration)) and (femto\$second with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:24
S41	530	((pulse with width) or (pulse with duration) same chang\$5) and (femto\$second with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:25
S42	183	(((pulse with width) or (pulse with duration)) same chang\$5) and ((femto\$second) with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:26
S43	99	(((pulse with width) or (pulse with duration)) with chang\$5) and ((femto\$second) with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:28
S44	27	((pulse with width) or (pulse with duration)) and ((femto\$second) with laser) and (wave\$guide\$1 with diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:30
S45	9	(((pulse with width) or (pulse with duration)) with chang\$5) and ((femto\$second) with laser) and (wave\$guide\$1 with diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/07 13:31

S47	9	(((pulse with width) or (pulse with duration)) with chang\$5) and ((femto\$second) with laser) and (wave\$guide\$1 with diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 08:28
S48	1	("20030021536").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/18 13:53
S49	0	("2003/0021536").URPN.	USPAT	OR	ON	2005/04/18 13:53
S50	19	((method or process) with waveguide\$1) and (condenser with aperture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 13:55
S51	21	((method or process) with waveguide\$1) and (condenser with ("NA" or aperture))  US-PGPUB; OR ON USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/04/18 14:02	
S52	0	("2004/0047578").URPN.	USPAT	OR	ON	2005/04/18 14:00
S53	33	((method or process or forming or making) with waveguide\$1) and (condenser with ("NA" or aperture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:02
S54	12	S53 not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/18 14:04
S55	13645	("NA" or (numerical adj aperture)) with ("0.5" or ".5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:05
S56	5022	("NA" or (numerical adj aperture)) near3 ("0.5" or ".5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:06
S57	479	condenser and ("NA" or (numerical adj aperture)) near3 ("0.5" or ". 5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:07

S58	19	waveguide and condenser and ("NA" or (numerical adj aperture)) near3 ("0.5" or ".5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:10
S59	92	waveguide and (condenser same ("NA" or (numerical adj aperture)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:11
S60	68	S59 not (S58 or S53 or S51)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:19





April 18, 2005

**USPTO** 

#### Search

Full	Text
	anni anni anni

Concept

Document ID

Recent Disclosures

#### Publish

**Publish Disclosure** 

### My IP.com

Manage Account

**Prior Purchases** 

Prior Disclosures

**Events** 

Main Page

Support

Logout

#### Fingerprint Lookup



Displaying records #1 through 8 out of 8

Relevance: ೧೦೦೧೦ Result # 1



Instantaneous and Controlled Excitation of the Spa in Planar Processed Multi-Mode Waveguides Obtain Lithographically Defined Lenses in the Waveguide

19-Mar-2005

04-Mar-2005

IPCOM000105380D

In optical chip interconnects using multi-mode waveguides it is importance to minimize the modal noise induced bit-error-rate ( This BER floor declines as the number of waveguide modes incris of advantage to use waveguides that support ...

#### Result # 2 Relevance: こくらつ



### Offset Laser to Groove Waveguide Coupler

IPCOM000089175D

A GaAs laser array is coupled to channel groove optical wavegu by mounting the laser source directly onto the silicon substrate waveguides and deflecting the laser output downward with a fir

surface and then laterally with a second ...

#### Result # 3 Relevance: 〇〇〇〇



### Method for a silicon nanowire waveguide for Rama amplification

14-Apr-2005

IPCOM000124273D

Enalisl

Disclosed is a method for a silicon nanowire waveguide for Ram amplification. Benefits include improved functionality and impro performance.

#### Relevance: むなく Result # 4



#### Rapid assay for detection of endotoxins

12-Sep-2000

IPCOM000001751D

Enalish

The presently claimed invention is an apparatus and method for of endotoxin via a competitive assay.

#### Relevance: 🔾 😂 Result # 5



## **Optical Rotary Joint for Optical Scanner**

04-Mar-2005

IPCOM000088542D

Enalish

The key component for a fiber scanner is the input optical rotar permits the efficient coupling of the incident light to the rotating Coupling schemes have been proposed wherein the fiber is loca point of a lens. As the lens and ...

#### Relevance: Result # 6



### Nanometer Drilling with Nanometer Precision Usin Optics

14-Oct-2004

IPCOM000031846D

English

A new laser-machining technology is being developed to fabrica wavelength, or nanometer scale, features in ambient condition precision. We use NSOM (near-field scanning optical microscope femto-second pulses to machine targeted substrate ...

Result # 7





### Safety Closure For Fiber-Optic Devices

20-Feb-2005

IPCOM000068096D

In the interconnection of fiber-optic materials, such as plastic,  $\epsilon$ plastic-clad silica fibers, for signal transmission via light energy, source can be of several types, such as LED, LASER, or even an source. However, they all produce a ...

Result # 8

Relevance: 🛇 🗘 💮



## Surface extraction from a three-dimensional data s

12-Sep-2000

IPCOM000001510D

English


Surface image data representing a three-dimensional surface is a three-dimensional set of data representing characteristics of a space (volumetric data) that encompasses the surface of an obj surface image data can be used to display ...

Displaying page 1 of 1 < BACK | NEXT >

Search query: numerical and aperture and waveguide and laser

New search | Modify this search | Search within current results

Copyright @ 2005 IP.com, Inc. All rights reserved. |



Proc. SPIE Int. Soc. Opt. Eng. 5380, 729 (2004) PDF (1051 kB 77% Waveguide of amorphous perfluoropolymer for visible ligh 6. Kentaro Sasaki, Norikazu Kawamura, Haruki Tokumaru, Shoichi Nakamura, and Yoshihiko Sakane Proc. SPIE Int. Soc. Opt. Eng. **5351**, 96 (2004) PDF (286 kB) Shaped fiber tips for medical and industrial applications 77% 7. James P. Clarkin, Richard J. Timmerman, and John H. Shannon Proc. SPIE Int. Soc. Opt. Eng. **5317**, 70 (2004) PDF (311 kB) **77%** Design of waveguide applicators for microwave thermothe 8. aid of numerical methods Roman Chovanec and Jan Vrba Proc. SPIE Int. Soc. Opt. Eng. **5445**, 410 (2004) PDF (515 kB) Design and fabrication of sol-gel microlens array as a fibe 77% fiber and fiber-to-waveguide coupler Weixing Yu, Xiaocong Yuan, Nam Quoc Ngo, and Vladimir Kudrya Proc. SPIE Int. Soc. Opt. Eng. **5347**, 95 (2004) PDF (313 kB) 77% Fabrication of volume grating induced in silica glass by 10. femtosecond laser Kazuhiro Yamada, Wataru Watanabe, Kenji Kintaka, Junji Nishii, Kazuyoshi Itoh Proc. SPIE Int. Soc. Opt. Eng. **5063**, 474 (2003) PDF (236 kB) FDM Helmholtz modeling of finite grating and waveguide \( \text{\colored} \) 77% 11. effects on resonant subwavelength grating reflectivity David W. Peters, Shanalyn A. Kemme, and G. Ronald Hadley Proc. SPIE Int. Soc. Opt. Eng. **5177**, 102 (2003) PDF (129 kB) 77% High-NA focusing grating coupler using a blue laser 12.  $\square$ Yeung J. Sohn, Yongwoo Park, Dongwoo Suh, Hojun Ryu, and Mi Paek Proc. SPIE Int. Soc. Opt. Eng. **5069**, 351 (2003) PDF (434 kB) Implementation of a micro-optical pickup using a focusing 77% 13. waveguide grating coupler Mun Cheol Paek, Yeung J. Sohn, Dongwoo Suh, Hojun Ryu, and ' Proc. SPIE Int. Soc. Opt. Eng. **5069**, 345 (2003) PDF (643 kB) 77% Optical waveguide fabrication inside transparent material: 14. of plasma channeling induced by tailored femtosecond las Masanao Kamata, Kosuke Ohta, Minoru Obara, and Hiroshi Sekit Proc. SPIE Int. Soc. Opt. Eng. 4977, 394 (2003) PDF (116 kB)

Hojun Ryu, Dongwoo Suh, Yongwoo Park, and Muncheol Paek

77%	15. 🗖	Chip-level integrated diffractive optical microlenses for mivertical-cavity surface-emitting laser to fiber coupling Thomas Ammer, Michael T. Gale, and Markus Rossi Opt. Eng. 41, 3141 (2002) Full Text PDF (675 kB)
77%	16.	Theoretical comparison of scattering losses in planar wave with wall roughness and core inhomogeneity J. Merle Elson Proc. SPIE Int. Soc. Opt. Eng. 4780, 32 (2002) PDF (410 kB)
77%	17. 🗆	Wavelength division multiplexing with a self-focusing transmission grating Stefan Wiechmann, Hans J. Heider, Matthias Mahnke, and Joerg Proc. SPIE Int. Soc. Opt. Eng. <b>4653</b> , 182 (2002) PDF (713 kB)
77%	18.	Optical properties measurement of several photonic cryst: Joo B. Eom, Kun W. Park, Youngjoo Chung, Won-Taek Han, Un-C Paek, Dug Y. Kim, and Byeong Ha Lee Proc. SPIE Int. Soc. Opt. Eng. <b>4655</b> , 124 (2002) PDF (266 kB)
77%	19. 🗆	Design aspects of waveguide hybrid advance MEMS (WHA Jaisoon Kim and Tomas D. Milster Proc. SPIE Int. Soc. Opt. Eng. <b>4342</b> , 447 (2002) PDF (687 kB)
77%	20. 🗆	Extension of the self-filtering unstable resonator to a ring Guillermo D. Santiago, Alejandro L. Peuriot, and Carlos A. Rosito Opt. Eng. <b>40</b> , 2215 (2001) Full Text PDF (177 kB)
77%	21.	Photo-induced refractive-index changes in filaments form- glass with femtosecond laser pulses Kazuhiro Yamada, Tadamasa Toma, Wataru Watanabe, Junji Nisi Kazuyoshi Itoh Proc. SPIE Int. Soc. Opt. Eng. <b>4088</b> , 367 (2000) PDF (1740 kB
77%	22. 🗆	Refractive and structural changes in silica glass induced bultrashort laser pulses Kazuyoshi Itoh, Wataru Watanabe, Tadamasa Toma, and Kazuhi Yamada Proc. SPIE Int. Soc. Opt. Eng. <b>4110</b> , 1 (2000) PDF (3147 kB)
77%	23. 🗖	Fabrication of Nd,Cr codoped GGG wavegulde structure by nanosecond KrF laser deposition Tomoyuki Shimoda, Sachiyo Fukaya, Yoshihisa Ishida, Yong P. K Minoru Obara Proc. SPIE Int. Soc. Opt. Eng. 4065, 286 (2000) PDF (1056 kB
77%	24. 🗖	Polymeric optoelectronic interconnects Louay A. Eldada Proc. SPIE Int. Soc. Opt. Eng. <b>3952</b> , 190 (2000) PDF (4186 kB

77% Polymeric components for all-optical networks


Louay A. Eldada, Karl W. Beeson, Deepti Pant, Robert Blomquist, Lawrence W. Shacklette, and Michael J. McFarland Proc. SPIE Int. Soc. Opt. Eng. **3950**, 78 (2000) PDF (1544 kB)

[ 1 | 2 | Next 25 ]

home | proceedings | journals

Terms of Use | Privacy Policy | Contact

© 1994 – 2005 The International Society for Optical Engineering



		near-field scanning optical microscopy (AFM/NSOM) Dietrich Drews, Wilfried Noell, Wolfgang Ehrfeld, Manfred Lacher Mayr, Othmar Marti, C. Serwatzy, and Michael Abraham Proc. SPIE Int. Soc. Opt. Eng. <b>3512</b> , 76 (1998) PDF (2667 kB)
77%	31.	Reduction of coupling loss in many-to-many collimating sy for optomechanical matrix switch Wei Sheng Hu and Qing Ji Zeng Opt. Eng. <b>37</b> , 1834 (1998) PDF (96 kB)
77%	32. 🗆	Robust photopolymers for MCM, board, and backplane opt interconnects Louay A. Eldada, Ajay Nahata, and James T. Yardley Proc. SPIE Int. Soc. Opt. Eng. <b>3288</b> , 175 (1998) PDF (5401 kB
77%	33. 🗆	Affordable WDM components: the polymer solution Louay A. Eldada, Shing Yin, Robert A. Norwood, and James T. Ya Proc. SPIE Int. Soc. Opt. Eng. <b>3234</b> , 161 (1998) PDF (2311 kB
77%	34.	Polymer optical interconnects: meeting the requirements datacom and telecom applications Lawrence W. Shacklette, Robert A. Norwood, Louay A. Eldada, C Glass, Duc Nguyen, Constantina Poga, Baopei Xu, Shing Yin, and Yardley Proc. SPIE Int. Soc. Opt. Eng. <b>3147</b> , 222 (1997) PDF (418 kB)
77%	35. 🗆	Study of cylindrical cavity used for frequency or phase-loc vircators Guofen Yu, Wenxiang Wang, and Shenggang Liu Proc. SPIE Int. Soc. Opt. Eng. <b>3158</b> , 113 (1997) PDF (235 kB)
77%	36.	Current status of commercially available plastic optical fib Tomoyoshi Yamashita Proc. SPIE Int. Soc. Opt. Eng. <b>3135</b> , 126 (1997) PDF (456 kB)
77%	37. 🗖	Theoretical and experimental evaluation of waveguide Talarray illuminators  Werner Klaus, Yukiko Hamaguchi, Kashiko Kodate, and Yoshinori Proc. SPIE Int. Soc. Opt. Eng. <b>3010</b> , 38 (1997) PDF (505 kB)
77%	38.	High-power laser waveguide with a circulating liquid core applications Sandra Klein, Joerg Meister, Stefan Diemer, Roland Jung, Werne and Peter Hering Proc. SPIE Int. Soc. Opt. Eng. 2977, 155 (1997) PDF (270 kB)
77%	39. 🗆	Advanced polymer systems for optoelectronic integrated capplications Louay A. Eldada, Kelly M. T. Stengel, Lawrence W. Shacklette, R. Norwood, Chengzeng Xu, Chengjiu Wu, and James T. Yardley

Proc. SPIE Int. Soc. Opt. Eng. 3006, 344 (1997) PDF (1419 kB

77%	40.	Polymer optical interconnection technology: toward WDM applications Robert A. Norwood, Louay A. Eldada, Stephen M. Emo, Jeff Gusti Rapoport, Kelly M. T. Stengel, Lawrence W. Shacklette, Chengjiu Chengzeng Xu, and James T. Yardley Proc. SPIE Int. Soc. Opt. Eng. 2690, 151 (1996) PDF (916 kB)
77%	41. 🗆	Polymeric waveguides for optical backplanes Lawrence W. Shacklette, Kelly M. T. Stengel, Louay A. Eldada, C Xu, and James T. Yardley Proc. SPIE Int. Soc. Opt. Eng. 2467, 107 (1995) PDF (392 kB)
77%	42.	Specialty optical fiber products for sensor applications Paul E. Sanders Proc. SPIE Int. Soc. Opt. Eng. <b>2292</b> , 316 (1994) PDF (459 kB)
77%	43. 🗆	Temperature profiling in biological objects with multifrequenicrowave radiometry Shizuo Mizushina, Hiroyuki Ohba, Masahiro Kinomura, Katsumi A Toshifumi Sugiura Proc. SPIE Int. Soc. Opt. Eng. 2275, 295 (1994) PDF (139 kB)
77%	44.	Correcting chromatic aberration in holographic optical sys Fumio Yamagishi, Masayuki Kato, Satoshi Maeda, and Takefumi Proc. SPIE Int. Soc. Opt. Eng. <b>1334</b> , 182 (1990) PDF (150 kB)

[ Previous 25 | 1 | 2 ]

home | proceedings | journals Terms of Use | Privacy Policy | Contact

The International Society for Optical Engineering

Google

Web Images Groups News Froogle Local New! more »

waveguide laser pulses numerical aperture NA

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 4,980 for wavequide laser pulses numerical aperture NA. (0.24 seconds)

[PDF] Waveguide writing in fused silica with a femtosecond fiber laser ...

File Format: PDF/Adobe Acrobat

... waveguides written in pure silica glass by femtosecond laser pulses," in ... oscillators demand a high numerical aperture (NA) focusing objective, ...

www.opticsexpress.org/ view\_file.cfm?doc=%24)%5C%3B\*K%20%20%0A&id=%25(%2C%23'KL%2C%20%0A - Similar pages

## [PDF] Motion of bubble in solid by femtosecond laser pulses

File Format: PDF/Adobe Acrobat - View as HTML

... and H. Hirao, "Writing waveguides in glass with a femtosecond ... that are produced by femtosecond laser pulses with high numerical-aperture (NA) ... www.opticsexpress.org/view\_file.cfm?doc=%24(%2C' %2FJ0%20%20%0A&id=%24(%5C%3B.JP% 20%20%0A - Similar pages

[ More results from www.opticsexpress.org ]

#### IPDFI LMP2001 Talk

File Format: PDF/Adobe Acrobat - View as HTML

... 21, 2023 (1996). Processing with fs pulses. focus laser beam inside material

... threshold decreases with increasing numerical aperture ...

www.mrsec.harvard.edu/ education/ap298r2004/MazurAP298.pdf - Similar pages

# RP Photonics Consulting GmbH - Encyclopedia of Laser Physics and ...

... numerical aperture. Acronyms beginning with N:. NA = numerical aperture ... the numerical aperture can also be defined for other kinds of waveguides. ... www.rp-photonics.com/encyclopedia\_n.html - 34k - Apr 17, 2005 - Cached - Similar pages

## Patent 4641912: Excimer laser delivery system, angioscope and ...

... one end of said first waveguide for coupling laser pulses having a predetermined

... by the numerical aperture (NA) of each of the waveguides 56 and 60, ... www.freepatentsonline.com/4641912.html - 43k - Cached - Similar pages

# **ELECTRICAL ENGINEERING DEPARTMENT**

... Find the amount of pulse spreading in pure silica for a dfb laser operating

... Give the formula for the numerical aperture (NA) of an optical fiber and ...

engr.smu.edu/~gae/may10-94.html - 16k - Cached - Similar pages

# **Optical Wave Guides**

... The numerical aperture (NA) is the measure of of how much light can be ...

Pulses that enter separated from each other will eventually overlap each ...

electron9.phys.utk.edu/optics421/ modules/m9/Optical%20Wave%20Guides.htm - 32k - Cached - Similar pages

### Nufern - Articles

... Large-Mode-Area Designs Enhance Fiber Laser Performance ... (DC) fiber with an outer 400-µm-diameter (high numerical aperture (NA)) waveguide, ... www.nufern.com/index.tpl?action=articles& level1=3&level2=19&sublevel1=8 - 37k - Cachec

www.nufern.com/index.tpl?action=articles& level1=3&level2=19&sublevel1=8 - 37k - Cached - Similar pages

#### (PDF) Tutorial

File Format: PDF/Adobe Acrobat - View as HTML

... Figure 4---Numerical Aperture. Qualitatively, NA is a measure of the ...

popular laser diode wavelengths. and—with numerical apertures up to ... hexagon.physics.wisc.edu/research/ technical%20info/newport\_fiber\_tutorial.pdf - Similar pages

[PDF] Optical properties of waveguides fabricated in fused silica by ... File Format: PDF/Adobe Acrobat

- ... aperture of NA. 0.25 and a focal length of f. 15.6. mm. Laser pulses at 800 nm
- ... The numerical aperture of the fabricated. waveguides can be estimated ...

ao.osa.org/ViewMedia.cfm?id=69430&seq=0 - Similar pages

GOOOOOOOOS (€ ► ► Result Page: 1 2 3 4 5 6 7 8 9 10 Next

Free! Google Desktop Search: Search your own computer. Download now.

Find: ⊠emails - ∄files - &chats - @web history - ♪media - ≝PDF

waveguide laser pulses numerical al Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Web Images Groups News Froogle

Local<sup>New!</sup>

more »

waveguide laser pulses numerical aperture NF Search

**Advanced Search** Preferences

Web

Results 11 - 20 of about 4,980 for waveguide laser pulses numerical aperture NA. (0.09 seconds)

грог High Performance Dense Wavelength Division Multiplexer Based on ...

File Format: PDF/Adobe Acrobat - View as HTML

... In optical communication systems, the signal carriers are laser pulses. ... To reduce  $\Delta$ , we can decrease the **numerical aperture NA**, and/or the ...

129.116.90.208/GroupPapers/ High-performance%20dense%20wavelength%20division%20multiplexer%

20based%20on%20... - Similar pages

[PDF] application note.gxd (Page 1)

File Format: PDF/Adobe Acrobat - View as HTML

... fiber core but only at the expense of increasing the numerical aperture (NA)

of the ... Some lasers put out spikes of high power within a given pulse. ...

www.fiberguide.com/pdf/Fapplication note.pdf - Apr 16, 2005 - Similar pages

[PDF] Infrared photosensitivity in silica glasses exposed to femtosecond ...

File Format: PDF/Adobe Acrobat - View as HTML

... measurement of the numerical aperture (NA) of the, waveguides. We find under

a restricted ... waveguide was formed with 1-mJ laser pulses and by scan- ...

focus.aep.cornell.edu/Papers/optical\_damage.pdf - Similar pages

The ORC Bulletin Vol.5 No.1

... we have developed a Q-switched fibre laser giving pulse energies up to ...

lasers based on high-numerical-aperture (NA), contact bonded, waveguides. ...

www.orc.soton.ac.uk/bulletin/news5-1/bull51.html - 29k - Cached - Similar pages

[PDF] Contrasts in writing photonic structures with

File Format: PDF/Adobe Acrobat - View as HTML

... Large numerical aperture (NA) optics in (a) confines laser light into ...

where N is the number of laser pulses and F is the single-pulse laser fluence. ...

photonics.light.utoronto.ca/laserphotonics/ publications/UFvsF2%20waveguide-02.pdf - Similar pages

oe magazine - High Fiber

... with an outer 400-µm-diameter (high numerical aperture (NA)) waveguide, ...

have led to the increase in fiber-laser pulse energies and peak powers. ...

oemagazine.com/fromTheMagazine/iul04/highfiber.html - 26k - Cached - Similar pages

[PDF] The pulse duration dependence of femtosecond laser induced ...

File Format: PDF/Adobe Acrobat

... with effective numerical aperture (NA) of 0.08. The results provided a ...

By focusing femtosecond laser pulses into fused silica, the ...

www.iop.org/EJ/article/1464-4258/6/8/008/joa4\_8\_008.pdf - Similar pages

Tech. Note - Fiber Optic Beam Delivery Systems

... in terms of numerical aperture (NA), which is the sin of the angle5. ...

laser system, laser welding system, pulse laser, laser micromachining.

www.uslasercorp.com/envoy/fobd.html - 34k - Cached - Similar pages

грья Morphology and mechanisms of femtosecond laser-induced structural ...

File Format: PDF/Adobe Acrobat

... cused with a 0.45 and 1.4 numerical aperture. (NA) objective, respectively.

were used. ... laser pulses focused by a 0.45 NA microscope ob-. jective. ... ieeexplore.ieee.org/iel5/ 7534/20509/00948023.pdf?arnumber=948023 - Similar pages

## [PPT] GEOMETRICAL OPTICS

File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
... Fiber **Numerical Aperture**. **NA** of a Fiber. The **NA** defines a cone of acceptance for light ... A **laser** might be better, and use a GRIN lens to couple. ...
www.bli.uci.edu/lammp/powerpoints/ ECE\_176/ece176\_2001\_lecture3.ppt - <u>Similar pages</u>

∢ Gooooooooogle >

Result Page: <u>Previous 1 2 3 4 5 6 7 8 9 1011</u> Next

waveguide laser pulses numerical a Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google